



# Payment Terminal 1

- ✓ Account Card Authorisation
- ✓ Credit Card Authorisation
- ✓ Debit Card Authorisation
- ✓ Mobile App Authorisation



Compac Payment Terminals are built to last and are ideal for any Unattended Refuelling Site:



Marine



Commercial



Mining



Aviation

---

Compac Payment Terminals offer great versatility in their functionality. All payment terminals have the ability to connect to:

- ✓ Compac's **Payment App** for pump authorisation
- ✓ **CompacOnline** for fuel management
- ✓ Compac's **Automatic Vehicle Recognition** system

Compac's **Payment Terminal 1** features also include:

- ✓ Online Account Card authorisation
- ✓ Credit Card authorisation
- ✓ Debit Card authorisation
- ✓ Paywave available



Easy to use and built from Stainless Steel, Compac Payment Terminals are robust and are designed to withstand the harshest conditions.


# Payment Terminal 1

## Specifications

| Model                  | PT1                                                                                                                                                          |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Installation           | <b>IMPORTANT NOTE:</b> The Compac PT1 Payment Terminal is NOT approved for installation in a Hazardous Area. It must be installed OUTSIDE the Hazardous Area |
| Display                | 1024 Graphical LCD Display, 40mm x 75mm                                                                                                                      |
| Pinpad                 | Storm pinpad                                                                                                                                                 |
| Card Reader            | Windcave SCR200 Card Reader<br>Outdoor, unattended, Magtek Card Reader especially designed for fuel industry<br>Optional: Paywave                            |
| Printer                | Thermal printer specifically designed for outdoor unattended use with presenter designed to prevent jamming. Paper roll dimension 80mm wide x 295mm long     |
| Authorisation          | Account Cards with offline functionality<br>All major Credit Cards<br>Debit Cards<br>Mobile Payment App<br>Prepay Card Support                               |
| Power Supply           | 200 - 240V, 3.4 amps<br>UPS, battery backed, enables customers to get receipts in event of power failure<br>Provides power and surge protection              |
| Supported Fuel Pumps   | Compac, Gallagher, Gilbarco, Wayne                                                                                                                           |
| Communications         | 3G / 4G / 5G or Ethernet                                                                                                                                     |
| Operating Temperature  | -25°C to 55°C with internal thermostat environmental control for optimal low temperature operation                                                           |
| Tank Gauging Interface | Colibri, Fafnir, Veeder-Root with 4-20ma probe (max 2)                                                                                                       |
| Construction           | Stainless Steel                                                                                                                                              |
| Mounting Options       | Wall, tank or pedestal                                                                                                                                       |

# Payment Terminal 1

## Dimensions





# PT2

## Payment Terminal

- ✓ Account Card Authorisation
- ✓ Credit Card Authorisation
- ✓ Mobile App Authorisation



Compac Payment Terminals are built to last and are ideal for any Unattended or Retail Refuelling Site:



Marine



Commercial



Mining



Aviation



Retail

---

Compac Payment Terminals offer great versatility in their functionality. All payment terminals have the ability to connect to:

- ✓ Compac's **Payment App** for pump authorisation
- ✓ **CompacOnline** for fuel management
- ✓ Compac's **Automatic Vehicle Recognition** system

Compac's **PT2 Payment Terminal** features also include:

- ✓ Online Account Card authorisation
- ✓ Credit Card authorisation
- ✓ Paywave option - suitable for small fills of less than \$100




# PT2 Payment Terminal

## Specifications

| Model                  | PT2                                                                                                                                                                                                                                                                            |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Installation           | <b>IMPORTANT NOTE:</b> The Compac PT2 Payment Terminal is NOT approved for installation in a Hazardous Area. It must be installed OUTSIDE the Hazardous Area                                                                                                                   |
| Display                | 1024 Graphical LCD Display, 40mm x 75mm                                                                                                                                                                                                                                        |
| Pinpad                 | Storm pinpad                                                                                                                                                                                                                                                                   |
| Card Reader            | Outdoor, unattended, Magtek Card Reader especially designed for the fuel industry                                                                                                                                                                                              |
| Printer                | Thermal printer specifically designed for outdoor unattended use with presenter designed to prevent jamming. Paper roll dimension 80mm wide x 295mm long                                                                                                                       |
| Authorisation          | Mobile Payment App<br>All major Credit Cards with optional Paywave reader - suitable for fills of less than \$100<br>Account Cards with offline functionality<br>Prepay Card Support                                                                                           |
| Power Supply           | 200 - 240V, 3.4 amps ( 12V and 24V DC versions also available )<br>UPS, battery backed, enables customers to get receipts in event of power failure<br>Provides power and surge protection                                                                                     |
| Supported Fuel Pumps   | Compac, Gallagher, Gilbarco, Wayne                                                                                                                                                                                                                                             |
| Communications         | 3G / 4G / 5G or Ethernet                                                                                                                                                                                                                                                       |
| Operating Temperature  | -25°C to 55°C with internal thermostat environmental control for optimal low temperature operation                                                                                                                                                                             |
| Tank Gauging Interface | Colibri, Fafnir, Veeder-Root with 4-20ma probe (max 2)                                                                                                                                                                                                                         |
| Construction           | Stainless Steel                                                                                                                                                                                                                                                                |
| Mounting Options       | Wall, tank or pedestal                                                                                                                                                                                                                                                         |
| Compliance             | Windcave Approvals:<br><ul style="list-style-type: none"> <li>• APCA approval for PIN entry via the CECS with AS2805 / ISO8583 certification</li> <li>• EMV level1, 2 compliant for both Contact and Contactless payment types</li> <li>• PCI-PTS 5.x</li> </ul> NMI Approvals |

# PT2 Payment Terminal

## Dimensions



Base Footprint